

New Penn Rate Quote SOAP Web Service Table of Contents

New Penn Rate Quote SOAP Web Service Description.....	2
SOAP Web Service Version Changes.....	3
Version 4.1 Changes	3
Version 5.0 Changes	3
Version 5.1 Changes	3
Version 5.2 Changes	3
Version 6.0 Changes	3
Rate Quote SOAP Request.....	4
Rate Quote SOAP Response	8
Example SOAP Request.....	12
Example SOAP Response	13
Rate Quote SOAP WSDL changes to Endpoint	15
Test :	15
Production:	15

New Penn Rate Quote SOAP Web Service Description

The Rate Quote Web Service is a close duplicate of the web site Rate Quote Web Page. Unlike the web page, both zip codes are supplied on outbound and inbound shipments. The web service must be able to match the information to a known location for the shipper and consignee to accurately rate the quote. The origin zip code of a Third Party shipment must be within New Penn's direct pickup area to be quoted. Accessorial charges are returned as a combined charge for services. If the customer is exempt from an accessorial, the accessorial is not listed in the output, as there is no charge. The reverse may not be true, for example, there are seasonal accessories. Freezable is a seasonal accessorial, selecting Freezable in the summer does not imply that the user is exempt from the accessorial during the winter months. There are also geographical accessories. The NYC Garment District accessorial is location specific and does not apply to quotes that are not going to or not coming from the NYC garment district. If you get a difference in results between the web page and this web service, please contact us.

Note that the billed freight charges are based upon the actual freight characteristics at the time of shipment. Additional services are quoted at New Penn's standard rate and additional services other than those included in the quote may also apply as shown in the Special Services Schedule NPME 100.

To facilitate testing, we have set up a Test Web Services Server at: **test.webservices.newpenn.com**. After testing is completed by you and confirmed by us, we will set you up on our Production Web Services Server at: **www.webservices.newpenn.com**. If you use the test server, note that an expected difference in results would be related to fuel surcharge. This is not kept up-to-date on the test server.

A copy of the current WSDL file can be downloaded from our website. If your tools support using the WSDL file, make the appropriate changes to the file. The bottom of the WSDL contains a line with the local server domain (localhost: 9080). You need to substitute (localhost: 9080) with either the test or production domains listed above. See [Rate Quote SOAP WSDL Changes](#) section below.

New Penn's IT department assigns the user id and password for the web service. New Penn's IT department can be reached via email at **webservices@newpenn.com**.

It is important to remember the user id and password for the web service are NOT the same as the user id and password for the New Penn website. The user id and password for the web service are issued on a company level whereas the user id and password for the website are issued on a personal user level.

SOAP Web Service Version Changes

Version 4.1 Changes

- 1) Inside Pickup – **IPM** accessorial added - input fields(5 – 10) allow these Pickup accessorial values;
- 2) Residential Pickup – **PRU** accessorial added
- 3) Liftgate Pickup – **HYM** accessorial added

Version 5.0 Changes

Entry parameters re-sequenced and renumbered in this document.

- 1) Limited Access Pickup – LAP accessorial added - input fields(23 - 28) allow these accessorial values;
- 2) Limited Access Delivery – LAD accessorial added
- 3) Over accessorial & Over length field added - input fields 32,33 to denote Over Length with length of longest item -if between 10 and 45 feet

Version 5.1 Changes

- 1) Handle Postal Codes longer than five characters for Shipper and Consignee. Truncate US zip to five characters and Canadian postal codes to three characters.
- 2) Trim leading and trailing blank characters from all fields.
- 3) Match the first 20 characters of any city field with a postal city.
- 4) Parameter values which are too large for the defined lengths will be returned as data truncation errors.

Version 5.2 Changes

Open up Third Party shipments to and from Canada.

Version 6.0 Changes

- 1) Removed input parameter quoteOver; Over Dimension is implied by values to quoteOverWidth and quoteOverLength.
- 2) Added input parameter quoteOverWidth; required for shipments 6 ft. by 6 ft in any dimension;
- 3) Parameter quoteOverLength can be as low as 6 ft. IF quoteOverWidth is required;
- 4) GT1-Guaranteed Delivery: By 9:00 AM has been removed as valid value for web service requests. Service now requires a phone call to the terminal.
- 5) Parameters: quoteSkids and quoteDrums have been added for Pallet Rating only. Your account must be qualified for Pallet rates and the parameters are mutually exclusive. Pallet rating occurs for either skids or drums; not both at the same time.

Rate Quote SOAP Request

Request Parameters

Field Number Identifier	XML Field Name	Required/Optional	Description	Error Message Id	Error Message
1	quoteUserId	REQUIRED	50 alphanumeric user name; Must be valid user; User must also be setup to use rate quote web service.	WEB9000	Unauthorized user - authentication failed.
2	quoteWebPassword	REQUIRED	50 alphanumeric password; Must be valid password for user	WEB9000	Unauthorized user - authentication failed
3	quotePayor	REQUIRED	New Penn Customer code is a seven digit field	WEB0073 USR0185	Invalid Customer Code Selected. Non numeric value invalid
4	quoteShipperState	REQUIRED	Two character state or province code;		
5	quoteShipperCity	REQUIRED	20 character city name;	RAT0067	Invalid City,State,Zip for Shipper
6	quoteShipperZip	REQUIRED	Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	RAT0054	Invalid Zip Code for Shipper.
				RAT0056	Zip code not serviced by New Penn for Shipper.
				WEB0160	Origin zip is calculated based on the customer number selected for Outbound PPD.
				WEB0161	Origin zip is calculated based on the customer number selected for Outbound COL.
			Origin zip codes from PR or AK cannot be rated on website. There are also states that are being blocked.	WEB0547	Origin zip codes from this state cannot be rated on website
				RAT0058	Zips split between serviced and not serviced points require a city value for Shipper.
				RAT0021	Please call the Traffic Dept. at 800 950 5046 x4360 for a rate quote on this shipment.
				RAT0060	Zip Code must be serviced directly by New Penn for 3rd Party quote.
7	quoteConsigneeState	REQUIRED	Two character state or province name; .		
8	quoteConsigneeCity	REQUIRED	20 character city name.	RAT0068	Invalid City,State,Zip for Consignee
9	quoteConsigneeZip	REQUIRED	Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.	RAT0055	Invalid Zip Code for Consignee.
				RAT0057	Zip code not serviced by New Penn for Consignee.
				WEB0162	Destination zips are calculated based on the customer number selected for Inbound COL.

				RAT0021	Please call the Traffic Dept. at 800 950 5046 x4360 for a rate quote on this shipment.
				RAT0059	Zips split between serviced and not serviced points require a city value for Consignee.
				WEB0049	Unable to ship freezables to
				WEB0050	Unable to ship freezables to non-direct points in
10	quoteTerms	REQUIRED	Freight Terms is a three uppercase character field: PPD -- Outbound Prepaid, PPC -- Outbound Collect, COL -- Inbound, TRD -- Third Party	RAT0041	Freight Terms are not supported for quotes.
11	quoteClass1	At least one class and matching weight value is required	Four numeric digits and required for the matching weight entry. Standard Class** codes; 500 400 300 250 200 175 150 125 110 100 925 85 775 70 65 60 55 50 ** note that class 77.5 is entered as 775 and class 92.5 is entered as 925.	RAT0052	Invalid Class Code
				WEB0338	A class and weight must be entered
12	quoteClass2		Refer to quoteClass1 definition.		
13	quoteClass3		Refer to quoteClass1 definition.		
14	quoteClass4		Refer to quoteClass1 definition.		
15	quoteClass5		Refer to quoteClass1 definition.		
16	quoteWeight1	At least one matching class and weight value is required	Five numeric digits. Weight should be entered as an integer value; only whole pounds are supported.	WEB0337	Invalid weight amount
				WEB0338	A class and weight must be entered
				WEB0339	Maximum weight for any shipment is 15,000 lbs.
17	quoteWeight2		Refer to quoteWeight1 definition.		
18	quoteWeight3		Refer to quoteWeight1 definition.		
19	quoteWeight4		Refer to quoteWeight1 definition..		
20	quoteWeight5		Refer to quoteWeight1 definition..		
21	quotePurchaseOrderNumber		20 alphanumeric code		

22	quoteCashOnDelivery		Eight digit field; Can be entered as whole dollars or as dollars and cents. Cannot exceed 99999.99	RAT0024	COD Dollar amount cannot be larger than \$99999.99
				RAT0025	Enter a valid dollar amount in COD\$.
23	quoteAccessorial1		Three uppercase character code: SSM -- Single Shipment, NCM – Delivery Appointment GDM -- NYC Garment Area HYM – Liftgate Pickup IPM – Inside Pickup PRU – Residential Pickup LAP – Limited Access Pickup HTM – Liftgate Delivery IDM -- Inside Delivery PRD – Residential Delivery LAD – Limited Access Delivery	RAT0010	Accessorial code is unknown.
				WEB0340	Inside delivery and residential delivery are mutually exclusive accessorials.
				WEB0347	Inside pickup and residential pickup are mutually exclusive accessorials
				WEB0378	Limited access pickup and residential pickup are mutually exclusive accessorials.
				WEB0379	Limited access delivery and residential delivery are mutually exclusive accessorials.
24	quoteAccessorial2		Three uppercase character code: - Refer to quoteAccessorial 1 definition		
25	quoteAccessorial3		Three uppercase character code: Refer to quoteAccessorial 1 definition		
26	quoteAccessorial4		Three uppercase character code: Refer to quoteAccessorial 1 definition		
27	quoteAccessorial5		Three uppercase character code: Refer to quoteAccessorial 1 definition		
28	quoteAccessorial6		Three uppercase character code: Refer to quoteAccessorial 1 definition		
29	quoteHazard		HAZ	RAT0010	Accessorial code is unknown.
30	quoteFreeze		FRZ	RAT0010	Accessorial code is unknown.
31	quoteGuaranteedDelivery		Three alphanumeric code; GT2-Guaranteed Delivery: By Noon GT3-Guaranteed Delivery: By 3:30 PM GT4-Guaranteed Delivery: Less Than 2 Hours GT5-Guaranteed Delivery: 2 Hours Or More Note that values here do not represent the Accessorial code which is returned – GHT or TDD.	RAT0010	Unknown Accessorial code
				RAT0230	Guaranteed service is for direct deliveries, no interline or cartage.
				RAT0234	Guaranteed service cannot be used on shipments to/from Puerto Rico.
32	quoteOverLength		Two digit length	WEB0380	Overlength required shipment length

					between 10 and 45 ft in any one dimension. If Overwidth is required then the value can be between 6 and 45 ft and the value used must greater than or equal to the value of Overwidth.
33	quoteOverWidth		Two digit width - required		Overwidth required along with Overlength if shipment is at least 6 by 6 ft in any two dimensions; value is between 6 and 9 feet.
35	quoteSkids		Two digit value		Invalid values are discarded
36	quoteDrums		Two digit value		Invalid values are discarded

Rate Quote SOAP Response

Response Parameters

Field Number Identifier	XML Field Name	Returned	Description	Error Message Id	Error Message
200	quoteAccessorialDescription1		<p>Return order is not the order in which the input parameters were supplied.</p> <p>50 characters; Code maps to Phrase: ARD -Arbitrary Delivery Charge ARP -Arbitrary Pickup Charge BEY -Beyond Charge CFC -Collect Fee for COD amount CFP -PrePaid Fee for COD amount FRZ -Freezable GDM -NYC Garment Area TDD-Guaranteed Delivery: By Noon GHT-Guaranteed Delivery: By 3:30 PM TDD-Guaranteed Delivery: Less Than 2 Hours TDD-Guaranteed Delivery: 2 Hours Or More HAZ -Hazardous HTM -Liftgate Delivery HYM – Liftgate Pickup IDM -Inside Delivery IPM – Inside Pickup LAD – Limited Access Delivery LAP – Limited Access Pickup NCM –Delivery Appointment OVL – Over length + with Length entered OVD – Over Dimension + Length && Width entered PRD -Residential PRU – Residential Pickup SSM -Single Shipment</p>		
201	quoteAccessorialDescription2		Refer to quoteAccessorialDescription1 definition.		
202	quoteAccessorialDescription3		Refer to quoteAccessorialDescription1 definition.		
203	quoteAccessorialDescription4		Refer to quoteAccessorialDescription1 definition.		
204	quoteAccessorialDescription5		Refer to quoteAccessorialDescription1 definition.		
205	quoteAccessorialDescription6		Refer to quoteAccessorialDescription1 definition.		
206	quoteAccessorialDescriptionId1		<p>Return order is not the order in which the input parameters were supplied</p> <p>Three upper case characters;</p> <p>ARD -Arbitrary Delivery Charge ARP -Arbitrary Pickup Charge BEY -Beyond Charge CFC -Collect Fee for COD amount CFP -Pre-Paid Fee for COD amount FRZ -Freezable GDM -NYC Garment Area TDD-Guaranteed Delivery: By Noon GHT-Guaranteed Delivery: By 3:30 PM TDD -Guaranteed Delivery: Less Than 2 Hours TDD -Guaranteed Delivery: 2 Hours Or More HAZ -Hazardous HTM -Liftgate Delivery</p>		

			HYM – Liftgate Pickup IDM -Inside Delivery IPM – Inside Pickup LAD – Limited Access Delivery LAP – Limited Access Pickup NCM –Delivery Appointment OVL – Over Length (with Length entered) OVD – Over Dimension (with Length && Width entered) PRD -Residential PRU – Residential Pickup SSM -Single Shipment		
207	quoteAccessorialDescriptionId2		Refer to quoteAccessorialDescriptionId1 definition.		
208	quoteAccessorialDescriptionId3		Refer to quoteAccessorialDescriptionId1 definition.		
209	quoteAccessorialDescriptionId4		Refer to quoteAccessorialDescriptionId1 definition.		
210	quoteAccessorialDescriptionId5		Refer to quoteAccessorialDescriptionId1 definition.		
211	quoteAccessorialDescriptionId6		Refer to quoteAccessorialDescriptionId1 definition.		
212	quoteAmount1	Always	Seven digit, two decimal places; Quote Amount = Quote Weight * Quote Rate Per Pound		
213	quoteAmount2	Zero or greater	Refer to quoteAmount1 definition.		
214	quoteAmount3	Zero or greater	Refer to quoteAmount1 definition.		
215	quoteAmount4	Zero or greater	Refer to quoteAmount1 definition.		
216	quoteAmount5	Zero or greater	Refer to quoteAmount1 definition.		
217	quoteAmount6	Zero or greater	Refer to quoteAmount1 definition.		
218	quoteCalculatedWeight	Always	Five digit; total weight entered on all class lines		
219	quoteCanadianDiscountDollars		Seven digit, two decimal places; Available when Canadian shipment. Discount Amount		
220	quoteCanadianFreightCharges		Seven digit, two decimal places; Available when Canadian shipment. Freight Charges		
221	quoteCanadianFuelSurcharge		Seven digit, two decimal places Available when Canadian shipment. Fuel Charge		
223	quoteCanadianNetCharges		Seven digit, two decimal places; Available when Canadian shipment. Net Charges		
224	quoteCanadianServiceCharge		Seven digit, two decimal places; Available when Canadian shipment. Total Accessorial and other services charge		
225	quoteClass1Output	Always	Four character; Standard class values prefaced with letter 'C' C500 C400 C300 C250 C200 C175 C150 C125 C110 C100 C925 C85 C775 C70 C65 C60 C55 C50 /AS - used when the rates are applied from the next highest		

			weight break and multiple class lines with same class have been entered. /DEF - used when the rates are applied from the next highest weight break and multiple class lines with multiple classes have been used. The lowest class rates are applied to this line. ** note that class 77.5 is returned as C775 and class 92.5 is returned as C925.		
226	quoteClass2Output		Four character; Standard class values prefaced with letter 'C' Refer to quoteClass1Output.		
227	quoteClass3Output		Four character; Standard class values prefaced with letter 'C' Refer to quoteClass1Output		
228	quoteClass4Output		Four character; Standard class values prefaced with letter 'C' Refer to quoteClass1Output		
229	quoteClass5Output		Four character; Standard class values prefaced with letter 'C' Refer to quoteClass1Output		
230	quoteClass6Output		Four character; Standard class values prefaced with letter 'C' Refer to quoteClass1Output		
231	quoteClassWeightComment		80 chars; Comment when class and weight combination might be a Truckload. Comment when special pricing might apply.		
232	quoteDiscountDollars	Zero or greater	Seven digit, two decimal places		
234	quoteErrorMessage		Description of error or informational message;		
235	quoteErrorMessageId		Seven alphanumeric		
236	quoteFreightCharges	Always	Seven digit, two decimal places; freight charges = total of quoteAmount fields.		
237	quoteFuelSurcharge	Zero or greater	Seven digit, two decimal places		
239	quoteCanadianIncentiveCharges		Seven digit, two decimal places; Available when Canadian shipment and quote qualifies.		
240	quoteIncentiveCharges	Zero or greater	Seven digit, two decimal places Qualified quotes may get this lowered charge which is valid until the expire date if quote number is clearly shown on customers bill of lading. Expiration date is held in quoteIncentiveExpireDate field. Information message is returned if quote qualifies		
241	quoteMessageID	Always	Seven alphanumeric; Message ID for second message text		
242	quoteMessageText	Always	132 characters Message text which adds to the first error message OR Information message about quote incentive	RAT0064	Error continuation example: Please call NEWPENN's Traffic Dept at 800-950-5046 Ext 4360. for this rate quote.

				WEB0342	Information message example: "Refer to Quote # on your Bill of Lading, quote valid to expiration date."
243	quoteNetCharges	Always	Seven digit, two decimal places; Net charges		
244	quoteNumber	Always	Eight digit code		
245	quoteRatePerPound1	Always	Six digit, four decimal places; This is a rate / pound. We have done the math on a Hundred Pound Rate for the user.		
246	quoteRatePerPound2	Zero or greater	Refer to quoteRatePerPound1 definition.		
247	quoteRatePerPound3	Zero or greater	Refer to quoteRatePerPound1 definition.		
248	quoteRatePerPound4	Zero or greater	Refer to quoteRatePerPound1 definition..		
249	quoteRatePerPound5	Zero or greater	Refer to quoteRatePerPound1 definition..		
250	quoteRatePerPound6	Zero or greater	Refer to quoteRatePerPound1 definition.		
251	quoteServiceCharges	Zero or greater	Seven digit, two decimal places; total of all accessorial charges.		
252	quoteWeight1Output	Always	Five digits; Weight paired with class		
253	quoteWeight2Output	Zero or greater	Refer to quoteWeight1Output definition.		
254	quoteWeight3Output	Zero or greater	Refer to quoteWeight1Output definition.		
255	quoteWeight4Output	Zero or greater	Refer to quoteWeight1Output definition.		
256	quoteWeight5Output	Zero or greater	Refer to quoteWeight1Output definition.		
257	quoteWeight6Output	Zero or greater	Refer to quoteWeight1Output definition.		
258	quoteDate	Always	Ten character date;		
259	quoteIncentiveExpireDate		Ten character date; Date Incentive Quote charge expires.		
260	quoteProjectedDeliveryDate		Ten character date; VALUE IS NOT YET BEING LOADED		
261	quoteTransitDays	Always	Two alphanumeric characters; Transit Days = Zero when we cannot provide an accurate number of transit days; you should check the transit link fields (95)(96) below or the transit phone numbers(97)(98) below. The name of the Partner Carrier is stored in (99)		
262	quoteTransitOriginPartnerCarrierCustomerServiceNumber		Twelve alphanumeric characters; Phone number of Origin Carrier's customer service phone number		
263	quoteTransitOriginPartnerCarrierTerminalPhone		Twelve alphanumeric characters; Phone number of Origin Terminal number to be used only if the quoteTransitOriginPartnerCarrierCustomerServiceNumber is blanks.		
264	quoteTransitOriginPartnerCarrierTerminalText		50 characters; text with Partner Carrier name		
265	quoteTransitDestinationPartnerCarrierTransitLink		150 characters; Link to transit page of partner carrier. Some links are authenticated; the phone numbers (97)(98) may need to used		
266	quoteTransitOriginPartnerCarrierTransitLink		150 characters; Link to transit page of partner carrier. Some links are authenticated; the phone numbers (97)(98) may need to used		

Example SOAP Request

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:q0="http://quoting.newpenn.com"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  - <soapenv:Body>
    - <q0:quote>
      <quoteUserId>your userid here</quoteUserId>
      <quoteWebPassword>your password here</quoteWebPassword>
      <quotePayor>your Payor code here</quotePayor>
      <quoteShipperState>your Shipper state here</quoteShipperState>
      <quoteShipperCity>your Shipper City here</quoteShipperCity>
      <quoteShipperZip>your Shipper Zip Code here</quoteShipperZip>
      <quoteConsigneeState>pa</quoteConsigneeState>
      <quoteConsigneeCity>lebanon</quoteConsigneeCity>
      <quoteConsigneeZip>17042</quoteConsigneeZip>
      <quoteTerms>ppd</quoteTerms>
      <quoteClass1>100</quoteClass1>
      <quoteClass2 />
      <quoteClass3 />
      <quoteClass4 />
      <quoteClass5 />
      <quoteWeight1>1000</quoteWeight1>
      <quoteWeight2 />
      <quoteWeight3 />
      <quoteWeight4 />
      <quoteWeight5 />
      <quotePurchaseOrderNumber />
      <quoteCashOnDelivery />
      <quoteAccessorial1 />
      <quoteAccessorial2 />
      <quoteAccessorial3 />
      <quoteAccessorial4 />
      <quoteAccessorial5 />
      <quoteAccessorial6 />
      <quoteHazard />
      <quoteFreeze />
      <quoteGuaranteedDelivery />
      <quoteOverLength/>
      <quoteOverWidth/>
      <quoteSkids/>
      <quoteDrums/>
    </q0:quote>
  </soapenv:Body>
</soapenv:Envelope>
```

Note that all values are STRING values

Example SOAP Response

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <soapenv:Body>
  - <p609:quoteResponse xmlns:p609="http://quoting.newpenn.com">
    - <quoteReturn>
      - <RateQuote>
        <quoteAccessororialDescription1 />
        <quoteAccessororialDescription2 />
        <quoteAccessororialDescription3 />
        <quoteAccessororialDescription4 />
        <quoteAccessororialDescription5 />
        <quoteAccessororialDescription6 />
        <quoteAccessororialDescriptionId1 />
        <quoteAccessororialDescriptionId2 />
        <quoteAccessororialDescriptionId3 />
        <quoteAccessororialDescriptionId4 />
        <quoteAccessororialDescriptionId5 />
        <quoteAccessororialDescriptionId6 />
        <quoteAmount1>224.20</quoteAmount1>
        <quoteAmount2>0.00</quoteAmount2>
        <quoteAmount3>0.00</quoteAmount3>
        <quoteAmount4>0.00</quoteAmount4>
        <quoteAmount5>0.00</quoteAmount5>
        <quoteAmount6>0.00</quoteAmount6>
        <quoteCalculatedWeight>1000</quoteCalculatedWeight>
        <quoteCanadianDiscountDollars>0.00</quoteCanadianDiscountDollars>
        <quoteCanadianFrieghtCharges>0.00</quoteCanadianFrieghtCharges>
        <quoteCanadianFuelSurcharge>0.00</quoteCanadianFuelSurcharge>
        <quoteCanadianNetCharges>0.00</quoteCanadianNetCharges>
        <quoteCanadianServiceCharge>0.00</quoteCanadianServiceCharge>
        <quoteClass1Output>C100</quoteClass1Output>
        <quoteClass2Output />
        <quoteClass3Output />
        <quoteClass4Output />
        <quoteClass5Output />
        <quoteClass6Output />
        <quoteClassWeightComment />
        <quoteDiscountDollars>0.00</quoteDiscountDollars>
        <quoteErrorMessage />
        <quoteErrorMessageId />
        <quoteFreightCharges>224.20</quoteFreightCharges>
        <quoteFuelSurcharge>8.30</quoteFuelSurcharge>
```

```

<quoteIncentiveCanadianCharges>0.00</quoteIncentiveCanadianCharges>
<quoteIncentiveCharges>190.65</quoteIncentiveCharges>
<quoteMessageId>WEB0342</quoteMessageId>
<quoteMessageText>Refer to Quote # on your Bill of Lading, quote valid to expiration date.</quoteMessageText>
<quoteNetCharges>232.50</quoteNetCharges>
<quoteNumber>your quote# here</quoteNumber>
<quoteRatePerPound1>0.2242</quoteRatePerPound1>
<quoteRatePerPound2>0.0000</quoteRatePerPound2>
<quoteRatePerPound3>0.0000</quoteRatePerPound3>
<quoteRatePerPound4>0.0000</quoteRatePerPound4>
<quoteRatePerPound5>0.0000</quoteRatePerPound5>
<quoteRatePerPound6>0.0000</quoteRatePerPound6>
<quoteServiceCharges>0.00</quoteServiceCharges>
<quoteWeight1Output>1000</quoteWeight1Output>
<quoteWeight2Output>0</quoteWeight2Output>
<quoteWeight3Output>0</quoteWeight3Output>
<quoteWeight4Output>0</quoteWeight4Output>
<quoteWeight5Output>0</quoteWeight5Output>
<quoteWeight6Output>0</quoteWeight6Output>
<quoteDate>10/25/2012</quoteDate>
<quoteIncentiveExpireDate>11/15/2012</quoteIncentiveExpireDate>
<quoteProjectedDeliveryDate />
<quoteTransitDays>1</quoteTransitDays>
<quoteTransitOriginPartnerCarrierCustomerServiceNumber />
<quoteTransitOriginPartnerCarrierTerminalPhone />
<quoteTransitOriginPartnerCarrierTerminalText />
<quoteTransitDestinationPartnerCarrierTransitLink />
<quoteTransitOriginPartnerCarrierTransitLink />
</RateQuote>
</quoteReturn>
</p609:quoteResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Note that all values are STRING values.

Rate Quote SOAP WSDL changes to Endpoint

```
<wsdl:port binding="impl:RequestRateQuoteV6SoapBinding" name="RequestRateQuoteV6">  
  <wsdlsoap:address location="http://localhost:9080/rateQuoteWSV6/services/RequestRateQuoteV6"/>  
</wsdl:port>
```

Becomes...

Test :

```
<wsdl:port binding="impl:RequestRateQuoteV6SoapBinding" name="RequestRateQuoteV6">  
  <wsdlsoap:address location="http://test.webservices.newpenn.com/rateQuoteWSV6/services/RequestRateQuoteV6"/>  
</wsdl:port>
```

Or..

Production:

```
<wsdl:port binding="impl:RequestRateQuoteV6SoapBinding" name="RequestRateQuoteV6">  
  <wsdlsoap:address location="http://www.webservices.newpenn.com/rateQuoteWSV6/services/RequestRateQuoteV6"/>  
</wsdl:port>
```