

New Penn Transit Days Web Service Table of Contents

New Penn Transit Days Web Service Version 2.0	2
Web Service Version Changes.....	3
New Penn Transit Pages and correlated New Penn Transit Web Service Fields	4
Web Services Parameters Table.....	15
Example XML Request.....	28
Example XML Response	29
Transit Days WSDL Changes	32
Test:.....	32
Production:	32

New Penn Transit Days Web Service Version 2.0

The transit days web service is a close duplicate of the web site Service Centers/Transit Times web page. Unlike the web page, supplying both the Origin and Destination City names is suggested (though not required in all cases). The web service must be able to locate a specific origin and destination in areas where the zip code does not adequately narrow the location. Specific locations in which this occurs are where we ship directly and indirectly from the zip code, where we need additional days from some areas of a zip code and where we have areas of a zip code that we do and do not service. If you get a difference in results between the Service Centers/Transit Times web page and this web service, please contact us.

In order to facilitate testing, we have set up a test web services server. The domain is test.webservices.newpenn.com. After testing is completed by you and confirmed by us, we will set you up on our production web services server domain: www.webservices.newpenn.com. The bottom of the [WSDL](#) contains a line with the local server domain (localhost: 9080). You need to substitute it (localhost: 9080) with either the test or production domains listed above.

New Penn's IT department assigns the user id and password for the web service. New Penn's IT department can be reached via email at webservices@newpenn.com. It is important to remember the user id and password for the web service are NOT the same as the user id and password for the web page. The user id and password for the web service are issued on a company level whereas the user id and password for the web page are issued on a personal user level.

Web Service Version Changes

Version 2.0 Changes

Added input parameter optional pickup entry date (transitPickupDate). If not supplied, uses the origin terminal operating date. Not available on the web page.

Added output result set delivery date (transitDeliveryDate). It is calculated based on the pickup date. Not available on the web page.

New Penn Transit Pages and correlated New Penn Transit Web Service Fields

Numbers in this color match field numbers in the Web Services Parameter Table below.

Service Centers/Transit Times

Enter origin and destination zip codes below to obtain service center locations and phone numbers, direct service coverage and the expected transit time. Enter only the first three digits of Canadian postal codes.

[Click here](#) for a complete list of New Penn service centers.

Origin Zip:	<input type="text"/>	(2)
Destination Zip:	<input type="text"/>	(4)

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Origin is part of a New Penn partnership with a web link:

Service Centers/Transit Times

The origin Zip Code you have entered is serviced by the New Penn/Reddaway Partnership. ⁽³⁷⁾ Click [here](#) ⁽³⁶⁾ - link) for accurate transit times.

Origin Service: Partnership ⁽¹³⁾ **Destination Service:** Direct ⁽¹⁶⁾

Origin Zip:	<input type="text" value="97015"/> ⁽²⁾
New Penn Service Center:	CAMP HILL ⁽¹⁸⁾ 475 TERMINAL ROAD ⁽²⁰⁾ CAMP HILL, ⁽²¹⁾ PA ⁽¹⁹⁾ 17011 ⁽²²⁾
Phone:	717-761-4350 ⁽²³⁾
Toll Free:	800-723-1303 ⁽²⁴⁾
Fax:	717-761-9408 ⁽²⁵⁾
Service:	Partnership ⁽¹³⁾ : REDDAWAY ^(26 – Text; 35 – Link)
Partner Service Center:	PORTLAND ⁽²⁷⁾ 12250 SOUTHEAST FORD DRI ⁽²⁹⁾ CLACKAMAS, ⁽³⁰⁾ OR ⁽²⁸⁾ 97015 ⁽³¹⁾

Partner Phone: 503-557-6200 (32)

Toll Free: 800-766-0666 (33)

Fax: 503-557-6301 (34)

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Destination Zip:

19567

(4)

New Penn Service READING (39)

Center: 3725 POTTSVILLE PIKE (41)

READING, (42) PA (40) 19605 (43)

Phone: 610-929-5731 (44)

Toll Free: 800-234-8557 (45)

Fax: 610-921-3003 (46)

Service: Direct (16)

Transit days able to be given for direct origin and destination zip codes:

Transit Time*: 1⁽⁵⁹⁾ day.

*Residential deliveries and other shipments that need a delivery appointment may require additional day(s).

Origin Service: Direct⁽¹³⁾ **Destination Service:** Direct⁽¹⁶⁾

Origin Zip:	<input type="text" value="18015"/> (2)
New Penn Service	READING (18)
Center:	3725 POTTSVILLE PIKE (20) READING (21), PA (19) 19605 (22)
Phone:	610-929-5731 (23)
Toll Free:	800-234-8557 (24)
Fax:	610-921-3003 (25)
Service:	Direct (13)

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Destination Zip:	<input type="text" value="19567"/> (4)
New Penn Service	READING (39)

Center: 3725 POTTSVILLE PIKE (41)
READING (42), PA (40) 19605 (43)

Phone: 610-929-5731 (44)

Toll Free: 800-234-8557 (45)

Fax: 610-921-3003 (46)

Service: Direct (16)

Transit days able to be given for direct origin and partnership destination zip codes:

Transit Time*: 4⁽⁵⁹⁾ days.

*Residential deliveries and other shipments that need a delivery appointment may require additional day(s).

Origin Service: Direct⁽¹³⁾ **Destination Service:** Partnership⁽¹⁶⁾

Origin Zip:	<input type="text" value="19567"/> ⁽²⁾
New Penn Service Center:	READING ⁽¹⁸⁾ 3725 POTTSVILLE PIKE ⁽²⁰⁾ READING, ⁽²¹⁾ PA ⁽¹⁹⁾ 19605 ⁽²²⁾
Phone:	610-929-5731 ⁽²³⁾
Toll Free:	800-234-8557 ⁽²⁴⁾
Fax:	610-921-3003 ⁽²⁵⁾
Service:	Direct ⁽¹³⁾

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Destination Zip:

⁽⁴⁾

New Penn Service CAMP HILL (39)
Center: 475 TERMINAL ROAD (41)
CAMP HILL, (42) PA (40) 17011 (43)
Phone: 717-761-4350 (44)
Toll Free: 800-723-1303 (45)
Fax: 717-761-9408 (46)
Service: Partnership (16) : [REDDAWAY \(47 –Text; 56 – Link\)](#)

Partner Service Center: PORTLAND (48)
12250 SOUTHEAST FORD DRI (50)
CLACKAMAS, (51) OR (49) 97015 (52)

Partner Phone: 503-557-6200 (53)
Toll Free: 800-766-0666 (54)
Fax: 503-557-6301 (55)

Origin point is part of a New Penn partnership without a web link:

The origin Zip Code you have entered is serviced by a New Penn partner carrier, Wilson Trucking ⁽³⁷⁾. Please call 540-949-3200 ⁽⁶⁰⁾ for accurate transit times from this zip code.

Origin Service: Partnership ⁽¹³⁾ **Destination Service:** Direct ⁽¹⁶⁾

Origin Zip:	<input type="text" value="32099"/> ⁽²⁾
New Penn Service Center:	CAMP HILL ⁽¹⁸⁾ 475 TERMINAL ROAD ⁽²⁰⁾ CAMP HILL, ⁽²¹⁾ PA ⁽¹⁹⁾ 17011 ⁽²²⁾
Phone:	717-761-4350 ⁽²³⁾
Toll Free:	800-723-1303 ⁽²⁴⁾
Fax:	717-761-9408 ⁽²⁵⁾
Service:	Partnership ⁽¹³⁾ : WILSON TRUCKING CORP ^(26 – Text; 35 – Link)
Partner Service Center:	JACKSONVILLE ⁽²⁷⁾ 332 DRAKE STREET ⁽²⁹⁾ JACKSONVILLE, ⁽³⁰⁾ FL ⁽²⁸⁾ 32254 ⁽³¹⁾
Partner Phone:	904-783-9122 ⁽³²⁾
Toll Free:	800-355-3369 ⁽³³⁾
Fax:	904-781-7296 ⁽³⁴⁾

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Destination Zip:

19567

(4)

New Penn Service

READING (39)

Center:

3725 POTTSVILLE PIKE (41)

READING, (42) PA (40) 19605 (43)

Phone:

610-929-5731 (44)

Toll Free:

800-234-8557 (45)

Fax:

610-921-3003 (46)

Service:

Direct (16)

Origin is served by New Penn sister carrier with a web link:

The origin Zip Code you have entered is not serviced by New Penn. However, our sister carrier ⁽⁶³⁾, YRC ⁽³⁷⁾, can provide good reliable services from this zip. Please call 610-266-4300 ⁽⁶⁰⁾ for accurate transit times from this zip code, or, if you have a User ID and Password ⁽⁶²⁾ for YRC ⁽³⁷⁾, click [here](#). ^(36 - link)

Origin Service: Partnership ⁽¹³⁾ **Destination Service:** Direct ⁽¹⁶⁾

Origin Zip:	<input type="text" value="16910"/> ⁽²⁾
New Penn Service Center:	SCRANTON ⁽¹⁸⁾ 1212 O NEIL HIGHWAY ⁽²⁰⁾ DUNMORE, ⁽²¹⁾ PA ⁽¹⁹⁾ 18512 ⁽²²⁾
Phone:	570-342-9109 ⁽²³⁾
Toll Free:	800-388-4304 ⁽²⁴⁾
Fax:	570-342-8302 ⁽²⁵⁾
Service:	Partnership ⁽¹³⁾ : YRC ^(26 - Text; 35 - Link)
Partner Service Center:	ELMIRA ⁽²⁷⁾ 1620 GRAND CENTRAL AVE ⁽²⁹⁾ ELMIRA, ⁽³⁰⁾ NY ⁽²⁸⁾ 14903 ⁽³¹⁾
Partner Phone:	610-266-4300 ⁽³²⁾
Toll Free:	⁽³³⁾

Fax: (34)

Find Service Center/Transit Time

Search for a **Postal Code** or **Zip Code**

Destination Zip:

19567

(4)

New Penn Service

READING (39)

Center:

3725 POTTSVILLE PIKE (41)

READING, (42) PA (40) 19605 (43)

Phone:

610-929-5731 (44)

Toll Free:

800-234-8557 (45)

Fax:

610-921-3003 (46)

Service:

Direct (47)

Web Services Parameters Table

Field Number Identifier	XML Field Name	Description	Error Message Id	Error Message
INPUT PARAMETERS				
1	No longer used.			
2	transitOriginZip	Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada. REQUIRED.	WEB0247	Invalid Zip Code. Message in transitOriginMessage. Message ID in transitOriginMessageID .
			WEB0285	Zip combination is not served by New Penn. Message in transitOriginMessage. Message ID in transitOriginMessageID .
			WEB0248	Zip code not serviced by New Penn for Shipper. Message in transitOriginMessage.

				Message ID in transitOriginMessageID .
		Zip of 83647 requires city name because we receive shipments from some areas within the zip, but not all.	WEB0250	City selection required for transit days calculation. Message in transitOriginMessage. Message ID in transitOriginMessageID .
		Origin zip code cannot be blank.	WEB0076	Zip code is required. Message in transitOriginMessage. Message ID in transitOriginMessageID .
		Origin zip code cannot be '00000'	WEB0076	Zip code is required. Message in transitOriginMessage. Message ID in transitOriginMessageID .
		Origin city and zip were supplied.	WEB0075	Origin Zip not serviced by New Penn.

				<p>Message in transitOriginMessage</p> <p>Message ID in transitOriginMessageID</p>
3	transitOriginCity	150 alphanumeric characters. Conditional field. Only necessary in the cases where a zip spans two or more cities, where a zip is served directly and indirectly or where a zip has two different number of days for service.		
		Zip of 16412 requires city name because the zip is served both directly and indirectly.	WEB0250	<p>City selection required for transit days calculation.</p> <p>Message in transitOriginMessage.</p> <p>Message ID in transitOriginMessageID .</p>
		Zip of 03051 requires city name because the zip contains locations that require additional days and locations that do not require additional days.	WEB0250	<p>City selection required for transit days calculation.</p> <p>Message in transitOriginMessage.</p> <p>Message ID in transitOriginMessageID .</p>

4	transitDestinationZip	<p>Five numeric digits for US zips; Five long with first three alphanumeric left justified for Canada.</p> <p>REQUIRED for transit times, but can be blank if just looking for terminal information for entered origin zip.</p>	WEB0247	<p>Invalid Zip Code.</p> <p>Message in transitDestinationMessage.</p> <p>Message ID in transitDestinationMessageID.</p>
			WEB0248	<p>Zip code not serviced by New Penn.</p> <p>Message in transitDestinationMessage.</p> <p>Message ID in transitDestinationMessageID.</p>
			WEB0250	<p>City selection required for transit days calculation.</p> <p>Message in transitDestinationMessage.</p> <p>Message ID in transitDestinationMessageID.</p>
		<p>Destination zip code can be blank if origin zip code filled in and just looking for terminal information for Origin zip</p>		

		entered.		
		Destination zip code cannot be '00000'	WEB0076	Zip code is required. Message in transitDestinationMessage. Message ID in transitDestinationMessageID.
		Destination city and zip were supplied	WEB0077	Destination Zip not serviced by New Penn. Message in transitDestinationMessage. Message ID in transitDestinationMessageID.
5	transitDestinationCity	150 alphanumeric characters. Conditional field. Only necessary in the cases where a zip spans two or more cities, where a zip is served directly and indirectly or where a zip has two different number of days for service.		
		Zip of 16412 requires city name because the zip is served both directly and indirectly.	WEB0250	City selection required for transit days calculation. Message in transitDestinationMessage.

				Message ID in transitDestinationMessageID.
		Zip of 03051 requires city name because the zip contains locations that require additional days and locations that do not require additional days.	WEB0250	City selection required for transit days calculation. Message in transitDestinationMessage. Message ID in transitDestinationMessageID.
6	transitWebUsername	50 alphanumeric user name; REQUIRED. Must be valid user. User must also be setup to use transit web service.	WEB9000	Unauthorized user - authentication failed. Message in transitInformationMessage. Message ID in transitInformationMessageID.
7	transitWebPassword	50 alphanumeric password; REQUIRED. Must be valid password for user	WEB9000	Unauthorized user - authentication failed. Message in

				transitInformationMessage. Message ID in transitInformationMessageID.
67	transitPickupDate	Ten character; Requested shipment pickup date; Format MM/DD/YYYY. Optional. If not supplied will be the origin terminal's operating date.		
		Must be valid date	WEB0006	Pickup date is not valid. Please contact your servicing terminal.
		Pickup date cannot be less than the origin terminal's operating date.	WEB0007	Pickup date is too early based on the current date at the servicing terminal.
		Pickup date cannot be five days greater than the origin terminal operating date.	WEB0009	Pickup date may not be more than 5 business days into the future.
		Pickup date cannot be a weekend.	WEB0010	Pickup date may not be on a Saturday or a Sunday.
		Pickup date cannot be a holiday.	WEB0153	Please contact your New Penn terminal to arrange a time for this pickup.
	OUTPUT PARAMETERS			
8	transitOriginMessage	78 character field containing messages corresponding to the origin.		

9	transitDestinationMessage	78 character field containing messages corresponding to the destination.		
10	transitInformationMessage	78 character field containing messages that are not specific to origin or destination.		
11	transitOriginState	Two character state/province abbreviation.		
12	transitOriginCity	24 character origin city		
13	transitOriginDirect	1 character field containing: 'D' - New Penn serviced point 'T' - Partner serviced point		
14	transitDestinationState	Two character state/province abbreviation		
15	transitDestinationCity	24 character destination city		
16	transitDestinationDirect	1 character field containing: 'D' - New Penn serviced point 'T' - Partner serviced point		
17	transitOriginTerminalNumber	2 numeric digits - no decimal places		
18	transitOriginTerminalName	50 character field		
19	transitOriginTerminalState	Two character state/province abbreviation		
20	transitOriginTerminalAddress	50 alphanumeric characters		

21	transitOriginTerminalCity	30 character field		
22	transitOriginTerminalZip	10 character alphanumeric field		
23	transitOriginTerminalPhone	12 character alphanumeric in format of xxx-xxx-xxxx		
24	transitOriginTerminal800	12 character alphanumeric in format of xxx-xxx-xxxx		
25	transitOriginTerminalFax	12 character alphanumeric in format of xxx-xxx-xxxx		
26	transitOriginCarrierName	50 character field		
27	transitOriginCarrierTerminalName	50 character field		
28	transitOriginCarrierTerminalState	Two character state/province abbreviation		
29	transitOriginCarrierTerminalAddress	50 alphanumeric characters		
30	transitOriginCarrierTerminalCity	30 character field		
31	transitOriginCarrierTerminalZip	10 character alphanumeric field		
32	transitOriginCarrierTerminalPhone	12 character alphanumeric in format of xxx-xxx-xxxx		
33	transitOriginCarrierTerminal800	12 character alphanumeric in format of xxx-xxx-xxxx		

34	transitOriginCarrierTerminalFax	12 character alphanumeric in format of xxx-xxx-xxxx		
35	transitOriginCarrierWebSite	link to Origin Carrier's Web Site (if it exists) - 100 character field		
36	transitOriginCarrierTransitWebSite	link to Origin Carrier's Transit Days Web Site (if it exists) - 150 character field		
37	transitOriginCarrierTransitText	50 character field which holds heading information for Origin Carrier's Transit Days Web Site		
38	transitDestinationTerminalNumber	2 numeric digits - no decimal places		
39	transitDestinationTerminalName	50 character field		
40	transitDestinationTerminalState	Two character state/province abbreviation		
41	transitDestinationTerminalAddress	50 character alphanumeric field		
42	transitDestinationTerminalCity	30 character field		
43	transitDestinationTerminalZip	10 character alphanumeric field		
44	transitDestinationTerminalPhone	12 character alphanumeric in format of xxx-xxx-xxxx		
45	transitDestinationTerminal800	12 character alphanumeric in format of xxx-xxx-xxxx		
46	transitDestinationTerminalFax	12 character alphanumeric in format of		

		xxx-xxx-xxxx		
47	transitDestinationCarrierName	50 character field		
48	transitDestinationCarrierTerminalName	50 character field		
49	transitDestinationCarrierTerminalState	Two character state/province abbreviation		
50	transitDestinationCarrierTerminalAddress	50 character alphanumeric field		
51	transitDestinationCarrierTerminalCity	30 character field		
52	transitDestinationCarrierTerminalZip	10 character alphanumeric field		
53	transitDestinationCarrierTerminalPhone	12 character alphanumeric in format of xxx-xxx-xxxx		
54	transitDestinationCarrierTerminal800	12 character alphanumeric in format of xxx-xxx-xxxx		
55	transitDestinationCarrierTerminalFax	12 character alphanumeric in format of xxx-xxx-xxxx		
56	transitDestinationCarrierWebSite	link to Destination Carrier's Web Site (if it exists) - 100 character field		
57	transitDestinationCarrierTransitWebSite	link to Destination Carrier's Transit Days Web Site (if it exists) - 150 character field		
58	transitDestinationCarrierTransitText	50 character field which holds heading information for Destination Carrier's Transit Days Web Site		

59	transitDays	2 numeric digits, no decimal places Days will be 0 if starting from a 'partnership' zip.		
60	transitOriginCustomerServicePhone	12 character alphanumeric in format of XXX-XXX-XXXX		
61	transitDestinationCustomerServicePhone	12 character alphanumeric in format of XXX-XXX-XXXX		
62	transitAuthorizedSite	1 character flag field If this field comes back with a 'Y', then the partner website requires authentication. Otherwise, this site requires no authentication.		
63	transitSisterCarrier	1 character flag field If this flag is returned with a 'Y', then the carrier is a sister carrier to New Penn. Otherwise, the carrier is not a sister carrier to New Penn.		
64	transitOriginMessageID	7 character alphanumeric field which holds the message id for the transitOriginMessage		
65	transitDestinationMessageID	7 character alphanumeric field which holds the message id for the transitDestinationMessage		
66	transitInformationMessageID	7 character alphanumeric field which		

		holds the message id for the transitInformationMessage		
68	TransitDeliveryDate	Ten character; calculated delivery date based on pickup date; Format MM/DD/YYYY. If pickup date not supplied, the pickup date used will be the origin terminal's operating date when calculating the delivery date. Delivery date is based on pickup date, adding transit days and skipping weekends and holidays.	WEB0091	Delivery date is an invalid date.

Example XML Request

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:q0="http://transit"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  - <soapenv:Body>
    - <q0:transit>
      <transitOriginZip>17042</transitOriginZip>
      <transitOriginCity />
      <transitDestinationZip>17602</transitDestinationZip>
      <transitDestinationCity />
      <transitWebUsername>Your Userid</transitWebUsername>
      <transitWebPassword>Your Password</transitWebPassword>
      <transitPickupDate />
    </q0:transit>
  </soapenv:Body>
</soapenv:Envelope>
```

Example XML Response

```
- <soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
- <soapenv:Body>
- <p847:transitResponse xmlns:p847="http://transit">
  - <transitReturn>
    - <TransitStatus>
      <transitAuthorizedSite />
      <transitDays>1</transitDays>
      <transitDestinationCarrierName />
      <transitDestinationCarrierTerminal800 />
      <transitDestinationCarrierTerminalAddress />
      <transitDestinationCarrierTerminalCity />
      <transitDestinationCarrierTerminalFax />
      <transitDestinationCarrierTerminalName />
      <transitDestinationCarrierTerminalPhone />
      <transitDestinationCarrierTerminalState />
      <transitDestinationCarrierTerminalZip />
      <transitDestinationCarrierTransitText />
      <transitDestinationCarrierTransitWebSite />
      <transitDestinationCarrierWebSite />
      <transitDestinationCity>LANCASTER</transitDestinationCity>
      <transitDestinationCustomerServicePhone />
      <transitDestinationDirect>D</transitDestinationDirect>
      <transitDestinationMessage />
      <transitDestinationMessageID />
      <transitDestinationState>PA</transitDestinationState>
      <transitDestinationTerminal800>800-234-8557</transitDestinationTerminal800>
      <transitDestinationTerminalAddress>3725 POTTSVILLE PIKE</transitDestinationTerminalAddress>
      <transitDestinationTerminalCity>READING</transitDestinationTerminalCity>
      <transitDestinationTerminalFax>610-921-3003</transitDestinationTerminalFax>
      <transitDestinationTerminalName>READING</transitDestinationTerminalName>
```

<transitDestinationTerminalNumber>**2**</transitDestinationTerminalNumber>
<transitDestinationTerminalPhone>**610-929-5731**</transitDestinationTerminalPhone>
<transitDestinationTerminalState>**PA**</transitDestinationTerminalState>
<transitDestinationTerminalZip>**19605**</transitDestinationTerminalZip>
<transitInformationMessage />
<transitInformationMessageID />
<transitOriginCarrierName />
<transitOriginCarrierTerminal800 />
<transitOriginCarrierTerminalAddress />
<transitOriginCarrierTerminalCity />
<transitOriginCarrierTerminalFax />
<transitOriginCarrierTerminalName />
<transitOriginCarrierTerminalPhone />
<transitOriginCarrierTerminalState />
<transitOriginCarrierTerminalZip />
<transitOriginCarrierTransitText />
<transitOriginCarrierTransitWebSite />
<transitOriginCarrierWebSite />
<transitOriginCity>**CLEONA**</transitOriginCity>
<transitOriginCustomerServicePhone />
<transitOriginDirect>**D**</transitOriginDirect>
<transitOriginMessage />
<transitOriginMessageID />
<transitOriginState>**PA**</transitOriginState>
<transitOriginTerminal800>**800-234-8557**</transitOriginTerminal800>
<transitOriginTerminalAddress>**3725 POTTSVILLE PIKE**</transitOriginTerminalAddress>
<transitOriginTerminalCity>**READING**</transitOriginTerminalCity>
<transitOriginTerminalFax>**610-921-3003**</transitOriginTerminalFax>
<transitOriginTerminalName>**READING**</transitOriginTerminalName>
<transitOriginTerminalNumber>**2**</transitOriginTerminalNumber>
<transitOriginTerminalPhone>**610-929-5731**</transitOriginTerminalPhone>
<transitOriginTerminalState>**PA**</transitOriginTerminalState>
<transitOriginTerminalZip>**19605**</transitOriginTerminalZip>
<transitSisterCarrier />
<transitDeliveryDate>**01/25/2013**</transitDeliveryDate>

```
    </TransitStatus>  
  </transitReturn>  
</p847:transitResponse>  
</soapenv:Body>  
</soapenv:Envelope>
```

Transit Days WSDL Changes

```
<wsdl:port binding="impl:TransitDaysSoapBinding" name="TransitDays">  
  <wsdlsoap:address location="http://localhost:9080/transitDaysNP/services/TransitDays"/>  
  
</wsdl:port>
```

Becomes:

Test:

```
<wsdl:port binding="impl:TransitDaysSoapBinding" name="TransitDays">  
  <wsdlsoap:address  
location="http://test.webservices.newpenn.com/transitDaysNP/services/TransitDays"/>  
  
</wsdl:port>
```

Production:

```
<wsdl:port binding="impl:TransitDaysSoapBinding" name="TransitDays">  
  <wsdlsoap:address location="http://www.webservices.newpenn.com/transitDaysNP/services/TransitDays"/>  
  
</wsdl:port>
```